

## Author Index of Volume 163

---

- Abeels, V. M. F., 115  
Akaishi, K., 177  
Alberdi, A., 197  
  
Ballhause, P., 193  
Bangert, H., 43  
Benda, M., 181  
Bláhová, O., 211  
Blankenship, Jr., C. P., 1  
Brindley, W. J., 33  
Bunshah, R. F., 207  
  
Calvo, J., 197  
Čerstvý, R., 181  
Cha, Y. H. C., 207  
Cooper, G. A., 23  
Crampon, J., L5  
  
Doerr, H. J., 207  
Duclos, R., L5  
de Segovia, J. L., 197  
  
Fancey, K. S., 171  
Funato, Y., 177  
  
Gibson, L. J., 51  
Goedicke, K., 149  
  
Han, S. Z., 81  
Hayashi, C., 157  
  
Hensel, B., 193  
Higuchi, K., 201  
Hood, M., 23  
Hsueh, C. H., L1  
Huang, J. S., 51  
  
James, A. S., 171  
Ježek, V., 181  
Jou, S., 207  
  
Kajioka, H., 163, 201  
Kashu, S., 157  
Kasl, J., 211  
Kattamis, T. Z., 107  
Kawabata, K., 163  
Kawashimo, Y., 201  
Kim, N. J., 11  
Kim, Y. J., 127  
Kiyota, T., 167  
Kolega, M., 181, 211  
Kubásek, M., 181  
Kubota, Y., 177  
  
Laurica, J., 197  
Lee, H., 81  
Lee, H. M., 81  
Lee, S., 11  
Lee, Z. H., 81  
  
Li, G., 73  
Li, Z., 73  
Lin, T. P., 23  
  
Matthews, A., 171  
Metzner, C., 149  
Middleman, S., 135  
Mori, T., 177  
Motojima, O., 177  
Mushiaki, M., 177  
Musil, J., 181, 211  
Musil, Jr., J., 181, 211  
  
Naruse, F., 157  
  
Oda, M., 157  
Orlová, A., 61  
Ovid'ko, I. A., 67  
  
Peng, D., 73  
Peni, F., L5  
Perepezko, J. H., 127  
Prakash, S., 207  
  
Qin, Y., 73  
  
Román, E., 197  
Rost, A., 193  
  
Schiller, S., 149  
Schussler, H., 193  
Shen, H., 73  
Skolianos, S., 107  
Sohn, K. S., 11  
Sproul, W. D., 187  
Starink, M. J., 115  
Starke, Jr., E. A., 1  
Štěpánek, I., 211  
Sugamata, M., 1  
Suzuki, T., 91, 99  
  
Takata, K., 91, 99  
Tamagawa, K., 167  
Tanaka, T., 163  
Tölg, T., 181  
Toyoda, S., 167  
  
Vlček, J., 181  
Vyskočil, J., 211  
van Mourik, P., 115  
  
Wang, H. F., 43  
Wendler, B., 215  
Whittenberger, J. D., 33  
Wu, X., 73  
  
Yamakawa, H., 167  
Young, S. J., 171  
  
Zhang, S., 141

## Subject Index of Volume 163

### Alloys

- coarsening behavior of  $L_{12}$  precipitates in melt-spun Al-Ti-V-Zr alloys, 81
- in situ* observation of microfracture processes in an 8090 Al-Li alloy plate, 11
- lattice parameter and hardness variations resulting from precipitation and misfit accommodation in a particle-reinforced Al-Si-Cu-Mg alloy, 115
- predicting plane strain fracture toughness of Al-Li-Cu-Mg alloys, 1
- stress relaxation of low pressure plasma-sprayed NiCrAlY alloys, 33
- the thermodynamics and competitive kinetics of metastable  $\tau$  phase development in MnAl-base alloys, 127
- tribological properties of  $SiC_p$ -reinforced Al-4.5%Cu-1.5%Mg alloy composites, 107

### Aluminium

- coarsening behavior of  $L_{12}$  precipitates in melt-spun Al-Ti-V-Zr alloys, 81
- evaluation of properties of aluminum films deposited using ultrahigh vacuum sputtering system, 167
- in situ* observation of microfracture processes in an 8090 Al-Li alloy plate, 11
- lattice parameter and hardness variations resulting from precipitation and misfit accommodation in a particle-reinforced Al-Si-Cu-Mg alloy, 115
- predicting plane strain fracture toughness of Al-Li-Cu-Mg alloys, 1
- stress relaxation of low pressure plasma-sprayed NiCrAlY alloys, 33
- the thermodynamics and competitive kinetics of metastable  $\tau$  phase development in MnAl-base alloys, 127
- tribological properties of  $SiC_p$ -reinforced Al-4.5%Cu-1.5%Mg alloy composites, 107

### Amorphization

- dislocations, amorphization and plastic deformation in quasi-crystalline materials, 67

### Bending

- materials and cross-sectional shapes for bending stiffness, 51

### Bicrystals

- fractography of embrittled copper bicrystals, 73

### Boron

- $LaB_6$  coating to reduce the outgassing rate of a vacuum wall, 177
- synthesis of  $\beta$ -SiC thin films for high temperature sensors by the activated reactive evaporation process, 207
- the role of gas-phase reactions in boron nitride growth by chemical vapor deposition

### Carbon

- comparative study of the interface composition of TiN and TiCN hard coatings on high speed steel substrates obtained by arc discharge, 197
- creation of thin TaC or TiC layers on steels, 215
- synthesis of  $\beta$ -SiC thin films for high temperature sensors by the activated reactive evaporation process, 207

titanium carbonitride-based cermets: processes and properties, 141

tribological properties of  $SiC_p$ -reinforced Al-4.5%Cu-1.5%Mg alloy composites, 107

### Cathodic arc evaporation

properties of TiN, ZrN and ZrTiN coatings prepared by cathodic arc evaporation, 211

### Cermets

titanium carbonitride-based cermets: processes and properties, 141

### Chemical vapour deposition

the role of gas-phase reactions in boron nitride growth by chemical vapor deposition, 135

### Chromium

$CrN_x$  — a hard coating for corrosion and wear resistance, 193

stress relaxation of low pressure plasma-sprayed NiCrAlY alloys, 33

### Coating

three-dimensional finite element simulation of Vickers indentation on coated systems, 43

$CrN_x$  — a hard coating for corrosion and wear resistance, 193

$LaB_6$  coating to reduce the outgassing rate of a vacuum wall, 177

plasma-activated high-rate electron-beam evaporation for coating metal strips, 149

properties of TiN, ZrN and ZrTiN coatings prepared by cathodic arc evaporation, 211

the microstructural and thickness uniformity of zirconia coatings produced by r.f. ion plating, 171

the use of nanoparticles for coatings, 157

### Composites

an estimate of internal stress evolution in the primary creep based on the composite model of dislocation structure, 61

on the morphology and composition of the oxidized layer in  $Si_3N_4$ -based materials, L5

### Copper

fractography of embrittled copper bicrystals, 73

lattice parameter and hardness variations resulting from precipitation and misfit accommodation in a particle-reinforced Al-Si-Cu-Mg alloy, 115

predicting plane strain fracture toughness of Al-Li-Cu-Mg alloys, 1

tribological properties of  $SiC_p$ -reinforced Al-4.5%Cu-1.5%Mg alloy composites, 107

### Corrosion

$CrN_x$  — a hard coating for corrosion and wear resistance, 193

### Creep

an estimate of internal stress evolution in the primary creep based on the composite model of dislocation structure, 61

### Debonding

embedded-end debonding during fiber pull-out, L1

- Deformation
  - dislocations, amorphization and plastic deformation in quasi-crystalline materials, 67
- Diamond
  - fatigue test on polycrystalline diamond compacts, 23
- Dislocation
  - an estimate of internal stress evolution in the primary creep based on the composite model of dislocation structure, 61
  - dislocations, amorphization and plastic deformation in quasi-crystalline materials, 67
- Embrittlement
  - fractography of embrittled copper bicrystals, 73
- Evaporation
  - plasma-activated high-rate electron-beam evaporation for coating metal strips, 149
  - synthesis of  $\beta$ -SiC thin films for high temperature sensors by the activated reactive evaporation process, 207
- Fatigue
  - fatigue test on polycrystalline diamond compacts, 23
- Fibres
  - embedded-end debonding during fiber pull-out, L1
- Film deposition
  - evaluation of properties of aluminum films deposited using ultrahigh vacuum sputtering system, 167
- Finite element simulation
  - three-dimensional finite element simulation of Vickers indentation on coated systems, 43
- Fractography
  - fractography of embrittled copper bicrystals, 73
- Fracture toughness
  - predicting plane strain fracture toughness of Al-Li-Cu-Mg alloys, 1
- Gas phase
  - the role of gas-phase reactions in boron nitride growth by chemical vapor deposition, 135
- Hardness variations
  - lattice parameter and hardness variations resulting from precipitation and misfit accommodation in a particle-reinforced Al-Si-Cu-Mg alloy, 115
- Hydrogen
  - permeation of hydrogen in vanadium
    - I. Experimental details, 91
    - permeation of hydrogen in vanadium
      - II. Theoretical details, 99
- Interfaces
  - comparative study of the interface composition of TiN and TiCN hard coatings on high speed steel substrates obtained by arc discharge, 197
- Ion deposition
  - ion-assisted deposition in unbalanced-magnetron sputtering systems, 187
- Ion plating
  - morphology of TiN films deposited by arc-like plasma-enhanced ion plating, 201
  - the microstructural and thickness uniformity of zirconia coatings produced by r.f. ion plating, 171
- Lanthanum
  - LaB<sub>6</sub> coating to reduce the outgassing rate of a vacuum wall, 177
- Lithium
  - in situ* observation of microfracture processes in an 8090 Al-Li alloy plate, 11
  - predicting plane strain fracture toughness of Al-Li-Cu-Mg alloys, 1
- Magnesium
  - lattice parameter and hardness variations resulting from precipitation and misfit accommodation in a particle-reinforced Al-Si-Cu-Mg alloy, 115
  - predicting plane strain fracture toughness of Al-Li-Cu-Mg alloys, 1
  - tribological properties of SiCp-reinforced Al-4.5%Cu-1.5%Mg alloy composites, 107
- Manganese
  - the thermodynamics and competitive kinetics of metastable  $\tau$  phase development in MnAl-base alloys, 127
- Melt-spinning
  - coarsening behavior of L1<sub>2</sub> precipitates in melt-spun Al-Ti-V-Zr alloys, 81
- Metal strips
  - plasma-activated high-rate electron-beam evaporation for coating metal strips, 149
- Microfracture processes
  - in situ* observation of microfracture processes in an 8090 Al-Li alloy plate, 11
- Molybdenum
  - preparation of W and Mo thin films by r.f.-d.c. coupled magnetron sputtering, 163
- Morphology
  - on the morphology and composition of the oxidized layer in Si<sub>3</sub>N<sub>4</sub>-based materials, L5
- Nanoparticles
  - the use of nanoparticles for coatings, 157
- Nickel
  - stress relaxation of low pressure plasma-sprayed NiCrAlY alloys, 33
- Nitrogen
  - comparative study of the interface composition of TiN and TiCN hard coatings on high speed steel substrates obtained by arc discharge, 197
  - CrN<sub>x</sub> — a hard coating for corrosion and wear resistance, 193
  - morphology of TiN films deposited by arc-like plasma-enhanced ion plating, 201
  - on the morphology and composition of the oxidized layer in Si<sub>3</sub>N<sub>4</sub>-based materials, L5
  - properties of TiN, ZrN and ZrTiN coatings prepared by cathodic arc evaporation, 211
  - the role of gas-phase reactions in boron nitride growth by chemical vapor deposition, 135
  - titanium carbonitride-based cermets: processes and properties, 141
- Outgassing rate
  - LaB<sub>6</sub> coating to reduce the outgassing rate of a vacuum wall, 177
- Oxidized layers
  - on the morphology and composition of the oxidized layer in Si<sub>3</sub>N<sub>4</sub>-based materials, L5



- Plasma nitriding
  - plasma nitriding of sputtered Ti films, 181
- Permeation
  - permeation of hydrogen in vanadium
    - I. Experimental details, 91
  - permeation of hydrogen in vanadium
    - II. Theoretical details, 99
- Plasma activation
  - plasma-activated high-rate electron-beam evaporation for coating metal strips, 149
- Plasma enhancement
  - morphology of TiN films deposited by arc-like plasma-enhanced ion plating, 201
- Plasma spraying
  - stress relaxation of low pressure plasma-sprayed NiCrAlY alloys, 33
- Plastics
  - dislocations, amorphization and plastic deformation in quasi-crystalline materials, 67
- Polycrystals
  - fatigue test on polycrystalline diamond compacts, 23
- Quasicrystals
  - dislocations, amorphization and plastic deformation in quasi-crystalline materials, 67
- Resistance
  - CrN<sub>x</sub> — a hard coating for corrosion and wear resistance, 193
- Sensors
  - synthesis of  $\beta$ -SiC thin films for high temperature sensors by the activated reactive evaporation process, 207
- Silicon
  - lattice parameter and hardness variations resulting from precipitation and misfit accommodation in a particle-reinforced Al-Si-Cu-Mg alloy, 115
  - on the morphology and composition of the oxidized layer in Si<sub>3</sub>N<sub>4</sub>-based materials, L5
  - synthesis of  $\beta$ -SiC thin films for high temperature sensors by the activated reactive evaporation process, 207
  - tribological properties of SiC<sub>p</sub>-reinforced Al-4.5%Cu-1.5%Mg alloy composites, 107
- Sputtering
  - evaluation of properties of aluminum films deposited using ultrahigh vacuum sputtering system, 167
  - ion-assisted deposition in unbalanced-magnetron sputtering systems, 187
  - plasma nitriding of sputtered Ti films, 181
  - preparation of W and Mo thin films by r.f.-d.c. coupled magnetron sputtering, 163
- Steel
  - comparative study of the interface composition of TiN and TiCN hard coatings on high speed steel substrates obtained by arc discharge, 197
  - creation of thin TaC or TiC layers on steels, 215
- Stiffness
  - materials and cross-sectional shapes for bending stiffness, 51
- Stress
  - an estimate of internal stress evolution in the primary creep based on the composite model of dislocation structure, 61
- Tantalum
  - creation of thin TaC or TiC layers on steels, 215
- Thin films
  - creation of thin TaC or TiC layers on steels, 215
  - preparation of W and Mo thin films by r.f.-d.c. coupled magnetron sputtering, 163
  - synthesis of  $\beta$ -SiC thin films for high temperature sensors by the activated reactive evaporation process, 207
- Titanium
  - coarsening behavior of L1<sub>2</sub> precipitates in melt-spun Al-Ti-V-Zr alloys, 81
  - comparative study of the interface composition of TiN and TiCN hard coatings on high speed steel substrates obtained by arc discharge, 197
  - creation of thin TaC or TiC layers on steels, 215
  - morphology of TiN films deposited by arc-like plasma-enhanced ion plating, 201
  - plasma nitriding of sputtered Ti films, 181
  - properties of TiN, ZrN and ZrTiN coatings prepared by cathodic arc evaporation, 211
  - titanium carbonitride-based cermets: processes and properties, 141
- Tungsten
  - preparation of W and Mo thin films by r.f.-d.c. coupled magnetron sputtering, 163
- $\tau$  phase
  - the thermodynamics and competitive kinetics of metastable  $\tau$  phase development in MnAl-base alloys, 127
- Vacuum
  - evaluation of properties of aluminum films deposited using ultrahigh vacuum sputtering system, 167
  - LaB<sub>6</sub> coating to reduce the outgassing rate of a vacuum wall, 177
- Vanadium
  - coarsening behavior of L1<sub>2</sub> precipitates in melt-spun Al-Ti-V-Zr alloys, 81
  - permeation of hydrogen in vanadium
    - I. Experimental details, 91
  - permeation of hydrogen in vanadium
    - II. Theoretical details, 99
- Vickers indentation
  - three-dimensional finite element simulation of Vickers indentation on coated systems, 43
- Wear
  - CrN<sub>x</sub> — a hard coating for corrosion and wear resistance, 193
- Yttrium
  - stress relaxation of low pressure plasma-sprayed NiCrAlY alloys, 33
- Zirconia
  - the microstructural and thickness uniformity of zirconia coatings produced by r.f. ion plating, 171
- Zirconium
  - coarsening behavior of L1<sub>2</sub> precipitates in melt-spun Al-Ti-V-Zr alloys, 81
  - properties of TiN, ZrN and ZrTiN coatings prepared by cathodic arc evaporation, 211

